



IPC

BY TENNANT COMPANY

HIGH-PRESSURE WASHERS - COLD WATER

PW-C40 BY-PASS MODELS

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

3÷5,1
kW



EXCLUSIVE CHARACTERISTICS

- BY-PASS - BYP
- THERMOSTATIC VALVE - TSV

WITHOUT HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
HIGH-TECH GUN



IPC
PUMP

SPECS



7,5 LITRES DETERGENT
TANK FOR A LOW-PRESSURE
DETERGENT DELIVERY



LARGE DIAMETER WHEELS
IN ORDER TO FACILITATE
MOVEMENTS



THERMOSTATIC VALVE TO
PROTECTING THE PUMP
FROM HIGH TEMPERATURES
IN BY-PASS PHASE

TECHNICAL DATA

	BY-PASS MODELS - 2 POLES		BY-PASS MODELS - 4 POLES	
	PW-C40 1813P T IDAF40237		PW-C40 1310P4 M IDAF40245	
Code				
PERFORMANCE				
Operating pressure	bar/Mpa	30-180/3-18	30-130/3-13	
Flow rate	l/h	800	600	
Max inlet water temperature	°C	50	50	
Power supply	Ph-V-Hz/A	3-400-50/8,6	1-230-50/14,5	
Absorbed power	kW	4,7	3,1	
Motor pole/rpm		2-2800	4-1400	
Remote control		BYP	BYP	
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic	
Detergent tank	l	7,5	7,5	
Detergent delivery		low pressure	low pressure	
Dimension (LxWxH)	cm	74x43x81	74x43x81	
Weight	Kg	44	47	

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40046
EXTENSION P580 Ø1,50AZZ
(FOR 1813P)



CODE: LCPR40048
EXTENSION P580
Ø1,35BLU (FOR 1310P4)



CODE: TBAP40256
HIGH PRESSURE HOSE 10 m



OPTIONAL ACCESSORIES

CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP23853
DRAIN KIT 10 m



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35
(FOR 1310/1813)



CODE: LCPR13557
SANDBLASTER KIT Ø 1,6 mm
(FOR 1813P/1915P4)



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4 mm
(FOR 1310P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16 M22
1,35 (FOR 1310)



CODE: LCPR40016
TURBO LANCE TTR-16 M22
1,40 (FOR 1813P)



CODE: KTRI40319
MAINTENANCE KIT 500H
(FOR 1813P)



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310P4)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1310P4)



CODE: KTRI40478
KIT FOR HOT WATER
FEEDING VERSION
(FOR 1813P)





IPC

BY TENNANT COMPANY

HIGH-PRESSURE WASHERS - COLD WATER

PW-C40 TOTAL STOP MODELS

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

3÷5,1
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS ("D" MODELS)
- ▶ INTELLIGENT PROPORTIONAL SWITCHING OFF - IPSF ("D" MODELS)
- ▶ MICRO LEAKAGE CONTROL - MLC ("D" MODELS)
- ▶ NOZZLE CLOGGED CONTROL - NCC ("D" MODELS)
- ▶ WORKING HOURS COUNTER - WHC ("D" MODELS)
- ▶ FLOODING PREVENTION SYSTEM - FPS ("D" MODELS)
- ▶ DRY RUNNING PROTECTION - DRP (ONLY THREE PHASE MODELS WITH DELAYED TOTAL STOP)



WITHOUT HOSE REEL

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATIONS



G6000™
CERAMIC
HIGH-TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



PRESSURE ADJUSTMENT
KNOB



LARGE FRONT FOOT FOR
GREATER STABILITY



ERGONOMIC HANDLE,
LANCE HOLDER AND HOSE
SUPPORTS

TECHNICAL DATA

DELAYED TOTAL STOP MODELS - 4 POLES

		PW-C40 D1310P4 M	PW-C40 D1915P4 T
Code		IDAF40246	IDAF40254
PERFORMANCE			
Operating pressure	bar/Mpa	30-130/3-13	30-190/3-19
Flow rate	l/h	600	900
Max inlet water temperature	°C	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	3-400-50/9,4
Absorbed power	kW	3,1	5,1
Motor pole/rpm		4-1400	4-1400
Remote control		DTS	DTS
Pump/head/pistons		IPC plunger/brass/ceramic	IPC plunger/brass/ceramic
Detergent tank	l	7,5	7,5
Detergent delivery		low pressure	low pressure
Dimension (LxWxH)	cm	74x43x81	74x43x81
Weight	Kg	47	52

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000



CODE: LCPR40048
EXTENSION P580
Ø1,35BLU (FOR 1310P4)



CODE: LCPR40047
EXTENSION P580
Ø1,45GLO (FOR 1915P4)



CODE: TBAP40256
HIGH PRESSURE HOSE 10 m



OPTIONAL ACCESSORIES

CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS



CODE: TBAP23853
DRAIN KIT 10 m



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 (FOR 1310)



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 (FOR 1915)



CODE: LCPR13557
SANDBLASTER KIT
Ø 1,6 mm (FOR 1915P4)



CODE: LCPR14858
SANDBLASTER KIT Ø 1,4 mm
(FOR 1310P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16 M22
1,35



CODE: KTRI40311
MAINTENANCE KIT 500H
(FOR 1310P4)



CODE: KTRI40313
MAINTENANCE KIT 500H
(FOR 1915P4)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION





IPC

BY TENNANT COMPANY

HIGH-PRESSURE WASHERS - COLD WATER

PW-C40 SPECIAL MODEL

PRESSURE

100 bar

FLOW RATE

300 l/h

ABSORBED POWER

1,3 kW



HIGHPURE - HPE
CODE: APTA40015

TECNOLOGIE ESCLUSIVE

- ▶ DELAYED TOTAL STOP - DTS
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ LANCE NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS

**TO BE USED ONLY IN COMBINATION
WITH APTA40015 -
HIGHPURE HPE
(SEE IMAGE ON THE RIGHT)**

MOST FREQUENTLY USE

CONSTRUCTION INDUSTRY



GREEN ENERGIES



NAUTICAL/AUTO/TRANSPORTS



GREENHOUSES/GLASSHOUSES/
TENSILE STRUCTURES



INNOVATIONS



G6000™
CERAMIC
HIGH-TECH GUN



MSC™
MULTIFUNCTION
SAFETY
CONTROL



IPC
PUMP

SPECS



IPC PUMP WITH SEPARATE
BY-PASS, PROVIDED WITH
PRESSURE ADJUSTMENT
KNOB



PROFESSIONAL HOSE REEL



INTEGRATED ERGONOMIC
HANDLE, LANCE HOLDER

TECHNICAL DATA

Code		PW-C40 D1005P4 M
PERFORMANCE		IDAF40884
Operating pressure max	bar/Mpa	100/10
Flow rate	l/h	300
Inlet water max. temperature	°C	50
Power supply	Ph-V-Hz/A	1-230-50/8,6
Absorbed power	kW	1,3
Motor pole/rpm		4-1400
Remote control		DTS
Pump/head/pistons		lpc plunger/brass/ceramic
Detergent tank	l	7,5
Detergent delivery		low pressure
Dimension (LxWxH)	cm	74x43x81
Weight	Kg	47

STANDARD EQUIPMENT

CODE: IPPR40025 HANDGRIP G6000	CODE: LCPR40013 EXTENSION P70 HY.JET	CODE: UGLN40038 H.P. NOZZLE 1/4 1502	CODE: TBAP40012 H.P. HOSE 1/4" 10 m
			

OPTIONAL ACCESSORIES

CODE: LCPR29360 MUDGUARD LANCE P90	CODE: RCIN10810 HOSE COUPLINGS	CODE: TBAP23853 DRAIN KIT 10 m	CODE: SPID24939 FIXED HYDROBRUSH LANCE	CODE: KTRI40478 KIT FOR HOT WATER FEEDING VERSION
				