



IPC

BY TENNANT COMPANY

HIGH-PRESSURE WASHERS - COLD WATER

PW-C45 VALUE

PRESSURE

110÷190
bar

FLOW RATE

500÷900
l/h

ABSORBED POWER

2,9÷4,9
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
HIGH-TECH GUN



IPC
PUMP



MSC™
MULTIFUNCTION
SAFETY
CONTROL

SPECS



COLLAPSIBLE HANDLE FOR
COMPACT STORAGE AND EASY
TRANSPORT



NEW STORAGE SPACE FOR ALL
EQUIPMENT AND ACCESSORIES



REMOVABLE COVER, AND EASY OIL
FILL-EMPTY SYSTEM FOR A RAPID
MAINTENANCE

TECHNICAL DATA

		PW-C45 D1112P4M	PW-C45 D1310P4M	PW-C45 D1708P4M	PW-C45 D1813P T	PW-C45 D1814P4 T	PW-C45 D1915P4 T
CODE		IDAF40901	IDAF40902	IDAF40903	IDAF40904	IDAF40905	IDAF40906
PERFORMANCE							
Operating pressure	bar/Mpa	30-110/3-11	30-130/3-13	30-170/3-17	30-180/3-18	30-180/3-18	30-190/3-19
Flow rate	l/h	300-720	300-600	400-500	450-800	450-840	450-900
Max inlet water temperature	°C	50	50	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,5	1-230-50/14,1	1-230-50/14,5	3-400-50/9,3	3-400-50/9,6	3-400-50/10,3
Absorbed power	kW	3	2,9	3	4,9	4,6	4,9
Motor pole/rpm		4-1400	4-1400	4-1400	2-2800	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic	lpc plunger/brass/ ceramic
Detergent tank	l	-	-	-	-	-	-
Detergent delivery		low pressure	low pressure	low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	67x42x95	67x42x95	67x42x95	67x42x95	67x42x95	67x42x95
Weight	Kg	40,2	40,1	40,2	42,2	44	47,3

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 +
EXTENSION P330+M22



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN05200
H.P. NOZZLE 1/4 1505
(FOR 1112P4)



CODE: UGLN11196
H.P. NOZZLE 1/4 15035
(FOR 1310P4)



CODE: UGLN75421
H.P. NOZZLE 1/4 15025
(FOR 1708P4)



CODE: UGLN49987
H.P. NOZZLE LANCE
1/4 15045 - (FOR
1813P/1814P4/1915P4)



CODE: TBAP40229
H.P. HOSE 1/4" 10 m



OPTIONAL ACCESSORIES

CODE: KTRI40505
HOSE REEL KIT (WITHOUT
HOSE)



CODE: KTRI40506
HOSE REEL KIT (WITH 20 m
HOSE)



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS M22




CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 (FOR
1310P4/1708P4)



CODE: LCPR24943
SANDBLASTER KIT Ø 1,3 mm
(FOR 1310P4/1708P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: SPID24939
FIXED HYDROBRUSH
LANCE



CODE: LCPR93178
TURBO LANCE TTR-16 +
M22 Ø1,35
(FOR 1310P4)



CODE: LCPR40011
TURBO LANCE
TTR-16 + M22 Ø 1,15
(FOR 1708P4)



CODE: LCPR40014
TURBO LANCE TPR-20 +
M22 Ø1,30
(FOR 1813P/1814P4)



CODE: KTRI40588
MAINTENANCE KIT 500H
(FOR 1814P4/1915P4)



CODE: KTRI40478
KIT FOR HOT WATER
FEEDING VERSION -
(FOR 1813P)



CODE: KTRI40479
KIT FOR HOT WATER FEEDING
VERSION (FOR 1112P4/1310P4
/1708P4/1814P4/1915P4)



ACCESSORIES TO DELIVERY CHEMICAL PRODUCT

OPTION [1]

OPTION [2]

CODE: LCPR40040
FOAMER KIT 1 I



CODE: KTRI40527
EJECTOR KIT + P70 HYJET



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 (FOR 1112P4/
1813P/1814P4/1915P4)



CODE: LCPR14859
SANDBLASTERKIT Ø1,5mm
(FOR 1112P4/1813P/1814P4
/1915P4)



CODE: KTRI00038
INJECTOR KIT



CODE: LCPR40053
TURBO LANCE TPR-20 +
M22 Ø1,50 (FOR 1112/
1915)



CODE: KTRI40587
MAINTENANCE KIT 500H
(FOR 1813P)



CODE: KTRI40586
MAINTENANCE KIT 500H
(FOR 1112P4/1310P4/
1708P4)





IPC

BY TENNANT COMPANY

HIGH-PRESSURE WASHERS - COLD WATER

PW-C45 PREMIUM

PRESSURE

110÷190
bar

FLOW RATE

500÷900
l/h

ABSORBED POWER

2,9÷4,9
kW

EXCLUSIVE CHARACTERISTICS

- ▶ DELAYED TOTAL STOP - DTS
- ▶ INTELLIGENT PROPORTIONAL SWITCHING OFF - IPSF
- ▶ MICRO LEAKAGE CONTROL - MLC
- ▶ NOZZLE CLOGGED CONTROL - NCC
- ▶ WORKING HOURS COUNTER - WHC
- ▶ FLOODING PREVENTION SYSTEM - FPS
- ▶ MAINTENANCE CHECK LED
- ▶ WARNING LEDS
- ▶ DRY RUNNING PROTECTION - DRP



MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
HIGH-TECH GUN



IPC
PUMP



MSC™
MULTIFUNCTION
SAFETY
CONTROL

SPECS



COLLAPSIBLE HANDLE FOR
COMPACT STORAGE AND EASY
TRANSPORT



NEW STORAGE SPACE FOR ALL
EQUIPMENT AND ACCESSORIES



REMOVABLE COVER, AND EASY OIL
FILL-EMPTY SYSTEM FOR A RAPID
MAINTENANCE

TECHNICAL DATA

		PW-C45 DP 1310P4 M	PW-C45 DP 1708P4 M	PW-C45 DP 1814P4 T	PW-C45 DP 1915P4 T
CODE		IDAF40913	IDAF40914	IDAF40916	IDAF40917
PERFORMANCE					
Operating pressure	bar/Mpa	30-130/3-13	30-170/3-17	30-180/3-18	30-190/3-19
Flow rate	l/h	300-600	400-500	450-840	450-900
Max inlet water temperature	°C	50	50	50	50
Power supply	Ph-V-Hz/A	1-230-50/14,1	1-230-50/14,5	3-400-50/9,6	3-400-50/10,3
Absorbed power	kW	2,9	3	4,6	4,9
Motor pole/rpm		4-1400	4-1400	4-1400	4-1400
Remote control		DTS	DTS	DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-	-	-
Detergent delivery		low pressure	low pressure	low pressure	low pressure
Dimension (LxWxH)	cm	67x42x95	67x42x95	67x42x95	67x42x95
Weight	Kg	40,1	40,2	44	47,3

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 +
EXTENSION P330+M22



CODE: TBAP40229
H.P. HOSE 1/4" 10 m



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN11196
H.P. NOZZLE 1/4 15035
(FOR 1310P4)



CODE: UGLN75421
H.P. NOZZLE 1/4 15025
(FOR 1708P4)



CODE: UGLN49987
H.P. NOZZLE LANCE 1/4
15045
(FOR 1814P4/1915P4)



OPTIONAL ACCESSORIES

CODE: KTRI40505
HOSE REEL KIT
(WITHOUT HOSE)



CODE: KTRI40506
HOSE REEL KIT
(WITH 20 m HOSE)



CODE: LCPR29360
MUDGUARD LANCE P90



CODE: RCIN10810
HOSE COUPLINGS M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35
(FOR 1310P4/1708P4)



ACCESSORIES TO DELIVERY CHEMICAL PRODUCT

OPTION [1]

OPTION [2]


CODE: LCPR40040
FOAMER KIT 1 I



CODE: KTRI40527
EJECTOR KIT + P70 HYJET



CODE: LCPR24943
SANDBLASTER KIT Ø 1,3 mm
(FOR 1310P4/1708P4)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: SPID24939
FIXED HYDROBRUSH
LANCE



CODE: KTRI00038
INJECTOR KIT



CODE: LCPR40053
TURBO LANCE TPR-20 +
M22 Ø1,50 (FOR 1915)



CODE: LCPR93178
TURBO LANCE TTR-16 +
M22 Ø1,35 (FOR 1310P4)



CODE: LCPR40011
TURBO LANCE TTR-16 +
M22 Ø 1,30 (FOR 1708P4)



CODE: LCPR40014
TURBO LANCE TPR-20 +
M22 Ø1,30 (FOR 1814P4)



CODE: KTRI40586
MAINTENANCE KIT 500H
(FOR 1310P4/ 1708P4)



CODE: KTRI40588
MAINTENANCE KIT 500H
(FOR 1814P4/1915P4)



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION





IPC

BY TENNANT COMPANY

HIGH-PRESSURE WASHERS - COLD WATER

PW-C45

PAINTED STEEL STRUCTURE

PRESSURE

130÷190
bar

FLOW RATE

600÷900
l/h

ABSORBED POWER

2,8÷4,9
kW



EXCLUSIVE CHARACTERISTICS

► DELAYED TOTAL STOP - DTS

MOST FREQUENTLY USE

AUTOMOTIVE



AGRICULTURE



CONSTRUCTION INDUSTRY



MUNICIPALITIES



DIY AND GARDENING



HEAVY INDUSTRY



INNOVATION



G6000™
CERAMIC
HIGH-TECH GUN



IPC
PUMP



MSC™
MULTIFUNCTION
SAFETY
CONTROL

SPECS



IPC PLUNGER PUMP WITH BRASS
HEAD AND CERAMIC PISTONS.



HEAVY-DUTY STRUCTURE, ANTI
COLLISION, STEEL FRAME COVER.



LARGE WHEELS IMPROVE
MANEUVERABILITY AND EASE
TRANSPORT.

TECHNICAL DATA

		PW-C45 D1310P4m M	PW-C45 D1915P4m T
CODE		IDAF41104	IDAF41105
PERFORMANCE			
Operating pressure max	bar/Mpa	40-130/4-13	40-190/4-19
Flow rate	l/h	300-600	360-900
Inlet water max. temperature	°C	50	50
Power supply	Ph-V-Hz/A	1-230-50/13,4	3-400-50/10,2
Absorbed power	kW	2,8	4,9
Motor pole/rpm		4-1400	4-1400
Remote control		DTS	DTS
Pump/head/pistons		lpc plunger/brass/ceramic	lpc plunger/brass/ceramic
Detergent tank	l	-	-
Detergent delivery		-	-
Dimension (LxWxH)	cm	78x45x100	78x45x100
Weight	Kg	47	53

STANDARD EQUIPMENT

CODE: IPPR40025
HANDGRIP G6000 +
EXTENSION P330+M22



CODE: LCPR40087
EXTENSION P70 - INOX



CODE: UGLN11196
H.P. NOZZLE 1/4 15035
(FOR 1310)



CODE: UGLN49987
H.P. NOZZLE 1/4 15045
(FOR 1915)



CODE: TBAP40229
H.P. HOSE 10 m 1/4"



OPTIONAL ACCESSORIES

CODE: RCIN10810
HOSE COUPLINGS
M22-M22



CODE: TBAP23853
DRAIN KIT 10 m - M22



CODE: LCPR29360
MUDGUARD LANCE P90



ACCESSORIES TO DELIVERY CHEMICAL PRODUCT

CODE: LCPR40040
FOAMER KIT 1 I



CODE: KTRI40527
EJECTOR KIT + P70 HYJET



CODE: TBAP40229
H.P.HOSER 15 m 5/16"



CODE: TBAP44379
H.P.HOSE R1 20 m N5/16"



CODE: LCPR13557
SANDBLASTER KIT D.1,6 -
(FOR 1915)



CODE: LCPR14858
SANDBLASTER KIT D.1,4 -
(FOR 1310)



CODE: PRCH40041
SAND BAG 25 Kg



CODE: LCPR93178
TURBO LANCE TTR-16
Ø 1,35



CODE: LCLC49492
LANCE FOR WASHING
FLOORS 0,35 - (FOR 1310)



CODE: LCLC49493
LANCE FOR WASHING
FLOORS 0,45 - (FOR 1915)



CODE: KTRI40505
HOSE REEL KIT



CODE: KTRI40479
KIT FOR HOT WATER
FEEDING VERSION

